



Abstract

Disclosed is an aromatic polycarbonate resin composition comprising a resin component (A) selected from the group consisting of an aromatic polycarbonate and a resin mixture of an aromatic polycarbonate and at least one organic polymer resin other than an aromatic polycarbonate, wherein the resin mixture has an aromatic polycarbonate content of 50 % by weight or more, and at least one aromatic group-containing silicone compound (B), wherein the at least one aromatic group-containing silicone compound (B) comprises a monomer, a polymer or a mixture thereof, which is represented by at least one formula selected from the group consisting of the following formulae (1) and (2):



and



wherein the component (B) contains the aromatic group in an amount of 5 to 100 mole %, based on the total molar amount of R^1 , R^2 , R^3 and R^4 , wherein each of R^1 and R^2 represents a hydrogen atom or a C_1 - C_{20} hydrocarbon group, and each of R^3 and R^4 represents a hydrogen atom, a C_1 - C_{20} hydrocarbon group or a metal-containing group.